

# "High Frequency Ceramic Solutions"

## 3.7 GHz 1:1 RF Balun

P/N 3700BL15B050

Detail Specification: 10/13/11

Page 1 of 2


### General Specifications

Part Number	3700BL15B050
Frequency (MHz)	3400~4000
Unbalanced Impedance	50 Ω
Differential Balanced Imp.	50 Ω
Insertion Loss	1.2 dB max.
Return Loss	9.5 dB min.
Phase Difference (degree)	180 ± 25
Amplitude Difference	2 dB max.

Operating Temperature	-40 to +85°C
Storage Temperature Range	+5 to +35°C, 18 mos. max. Humidity 45~75% RH
Reel Quantity	4,000
Power Capacity	100 mWatts max.
Impedance	50 / 50 Ω


### Mechanical Dimensions

	In	mm
L	0.079 ± 0.004	2.00 ± 0.10
W	0.049 ± 0.004	1.25 ± 0.10
T	0.033 ± 0.004	0.85 ± 0.10
a	0.012 ± 0.004	0.30 ± 0.10
b	0.008 ± 0.004	0.20 ± 0.10
c	0.012 +.004/-0.006	0.30 +0.1/-0.2
g	0.014 ± 0.004	0.35 ± 0.10
p	0.026 ± 0.002	0.65 ± 0.05



### Terminal Configuration

No.	Function
1	Unbalanced Port
2	GND or DC Feed
3	Balanced Port
4	Balanced Port
5	GND
6	NC




### Mounting Considerations

Mount these devices with colored mark facing up.

\* Line width should be designed to provide proper impedance matching characteristics.

Units: mm



Units: mm

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



[www.johansontechnology.com](http://www.johansontechnology.com)

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2011 Johanson Technology, Inc. All Rights Reserved

# "High Frequency Ceramic Solutions"


**3.7 GHz 1:1 RF Balun**

**P/N 3700BL15B050**

Detail Specification: 10/13/11

Page 2 of 2

**Typical Electrical Performance (T=25°C)**



<b>P/N</b>	<b>Packaging Style</b>	Bulk	Suffix = S	Eg. 3700BL15B050S
		T & R	Suffix = E	Eg. 3700BL15B050E
<b>Suffix</b>	<b>Termination Style</b>	100% Tin	Suffix = None	Eg. 3700BL15B050(E or S)
	<b>Evaluation Board</b>	3700BL15B050-EB2SMA		

Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.



[www.johansontechnology.com](http://www.johansontechnology.com)

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2011 Johanson Technology, Inc. All Rights Reserved